Printing date 06/17/2024

Reviewed on 06/17/2024

#### 1 Identification

- · Product identifier
- · Trade name: ROMPOX ADHENSION ELUTRIANT
- · Details of the supplier of the safety data sheet
- · Manufacturer/Supplier:

Romex US. LLC.

37 Miry Brook Rd. Danbury, CT 06810

United States of America

866.766.3963

info@romexhardscapes.com

- · Information department: Abteilung Produktsicherheit
- Emergency telephone number:

American Association of Poison Control Centers

poisonhelp.org

https://www.aapcc.org/centers Tel.: +1-800-222-1222 (24h)

Giftnotrufzentrale BONN, Germany

Tel.: 0049(0)228-19240

ROMEX, Abtlg. Produktsicherheit von 08:00-17:00: +49 (0)2225 70954-10

"Alberta - Poison and Drug Information Services (PADIS)Toll-free 1-800-332-1414 (within Alberta and Northwest Territories only)(403) 944-1414 (in Calgary, VOIP users, or outside of Alberta) British Columbia - British Columbia Drug and Poison Information Centre (DPIC)Toll-free 1-800-567-8911 (within BC only) (604) 682-5050 (Greater Vancouver)

Manitoba - Manitoba Poison CentreToll-free 1-855-7POISON (1-855-776-4766)

New Brunswick - Sykes Telehealth 911

Newfoundland and Labrador - Poison Information CentreToll-free 1-866-727-1110(709) 722-1110 Northwest Territories - Poison and Drug Information Services (PADIS)Toll-free 1-800-332-1414 (for Alberta and Northwest Territories only

Nova Scotia - IWK Regional Poison CentreToll-free 1-800-565-8161 (for Nova Scotia and PEI only) or call 911 and ask to speak to the Poison Centre(902) 470-8161 (Halifax or outside Nova Scotia) Nunavut - Toll-Free 1-800-268-9017

Ontario - Ontario Poison Centre (OPC)Toll-free 1-800-268-9017 (within Ontario)(416) 813-5900 (Greater Toronto Area)Prince Edward Island - IWK Regional Poison CentreToll-free 1-800-565-8161 (for Nova Scotia and PEI only)

Québec - Centre anipoison du Québec (CAPQ)Toll-free 1-800-463-5060 (for Quebec only) Saskatchewan - Poison and Drug Information Services (PADIS)Toll-free 1-866-454-1212 (for Saskatchewan only) Yukon Territory - Yukon Poison Control Centre - Whitehorse General Hospital(867) 393-8700"

Giftnotrufzentrale BONN, Germany

Tel.: 0049(0)228-19240

ROMEX, Abtlg. Produktsicherheit von 08:00-17:00: +49 (0)2225 70954-10

## 2 Hazard(s) identification

· Classification of the substance or mixture



GHS05 Corrosion

Eye Damage 1 H318 Causes serious eye damage.



Skin Irritation 2

H315 Causes skin irritation.

(Contd. on page 2)

Printing date 06/17/2024 Reviewed on 06/17/2024

Trade name: ROMPOX ADHENSION ELUTRIANT

(Contd. of page 1)

Sensitization - Skin 1

H317 May cause an allergic skin reaction.

Specific Target Organ Toxicity - Single Exposure 3H335 May cause respiratory irritation.

- · Label elements
- · GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS05 GHS07

- · Signal word Danger
- · Hazard-determining components of labeling:

Cement, portland, chemicals

filler

#### · Hazard statements

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May cause respiratory irritation.

#### · Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

- · Classification system:
- NFPA ratings (scale 0 4)



Health = 3Fire = 0Reactivity = 0

#### · HMIS-ratings (scale 0 - 4)



Health = \*3Fire = 0

- · Other hazards
- · Results of PBT and vPvB assessment
- · PBT: Not applicable.

(Contd. on page 3)

Printing date 06/17/2024 Reviewed on 06/17/2024

Trade name: ROMPOX ADHENSION ELUTRIANT

· vPvB: Not applicable.

(Contd. of page 2)

### 3 Composition/information on ingredients

- · Chemical characterization: Mixtures
- Description: Mixture of the substances listed below with nonhazardous additions.

· Dangerous	components:	
65997-15-1	Cement, portland, chemicals	25–50%
68475-76-3	filler	1–5%

### 4 First-aid measures

- · Description of first aid measures
- General information: Immediately remove any clothing soiled by the product.
- · After inhalation:

Supply fresh air and to be sure call for a doctor.

In case of unconsciousness place patient stably in side position for transportation.

- · After skin contact: Immediately wash with water and soap and rinse thoroughly.
- · After eye contact:

Rinse opened eye for several minutes under running water. Then consult a doctor.

- After swallowing: If symptoms persist consult doctor.
- · Information for doctor:
- · Most important symptoms and effects, both acute and delayed No further relevant information available.
- Indication of any immediate medical attention and special treatment needed. No further relevant information available.

## 5 Fire-fighting measures

- Extinguishing media
- · Suitable extinguishing agents: Use fire fighting measures that suit the environment.
- · Special hazards arising from the substance or mixture

No further relevant information available.

- · Advice for firefighters
- · Protective equipment: No special measures required.
- · Additional information

Dispose of fire debris and contaminated fire fighting water in accordance with official regulations.

### 6 Accidental release measures

· Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

- · Environmental precautions: Do not allow to enter sewers/ surface or ground water.
- Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to section 13.

Ensure adequate ventilation.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Contd. on page 4)

Printing date 06/17/2024 Reviewed on 06/17/2024

Trade name: ROMPOX ADHENSION ELUTRIANT

· Protective Action Criteria for Chemicals

(Contd. of page 3)

· PAC-1:

None of the ingredients is listed.

PAC-2:

None of the ingredients is listed.

· PAC-3:

None of the ingredients is listed.

## 7 Handling and storage

- Handling:
- · Precautions for safe handling

Thorough dedusting.

Ensure good ventilation/exhaustion at the workplace.

- Information about protection against explosions and fires: No special measures required.
- · Conditions for safe storage, including any incompatibilities
- · Storage:
- Requirements to be met by storerooms and receptacles: No special requirements.
- Information about storage in one common storage facility: Not required.
- · Further information about storage conditions: Keep receptacle tightly sealed.
- · Storage class: 13
- · Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

- · Additional information about design of technical systems: No further data; see section 7.
- · Control parameters
- · Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit.

At this time, the remaining constituent has no known exposure limits.

#### 65997-15-1 Cement, portland, chemicals

PEL Long-term value: 50 mppcf or 15\* 5\*\* mg/m3

\*total dust \*\*respirable fraction

REL Long-term value: 10\* 5\*\* mg/m³
\*total dust \*\*respirable fraction

TLV Long-term value: 1\* mg/m³

E; \*as respirable fraction, A4

- · Additional information: The lists that were valid during the creation were used as basis.
- · Exposure controls
- · Personal protective equipment:
- · General protective and hygienic measures:

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing.

Wash hands before breaks and at the end of work.

Avoid contact with the skin.

Avoid contact with the eyes and skin.

· Breathing equipment:

In case of brief exposure or low pollution use respiratory filter device. In case of intensive or longer exposure use respiratory protective device that is independent of circulating air.

(Contd. on page 5)

(Contd. of page 4)

## Safety Data Sheet acc. to OSHA HCS

Printing date 06/17/2024 Reviewed on 06/17/2024

Trade name: ROMPOX-ADHENSION ELUTRIANT

#### · Protection of hands:



Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Due to missing tests no recommendation to the glove material can be given for the product/ the preparation/ the chemical mixture.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

#### Material of gloves

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

#### · Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Tightly sealed goggles

## 9 Physical and chemical properties

· Information on b	basic physical	and chemical	properties
--------------------	----------------	--------------	------------

· General Information

· Appearance:

Form: Like powder

Color: Different according to coloring

Odor: Nearly odorlessOdor threshold: Not determined.

• **pH-value:**  $\beta = 0.1g/cm^3$  in H2O

Mixture reacts violently with water.

Product is not selfigniting.

11–13.5 (vandeninis tirpalas: 66.7 % (m/m), 20 °C)

vandeninis medbiagos tirpalas (ðarminis)

· Change in condition

Melting point/Melting range: >1,200 °C (>34.200 °F)

Boiling point/Boiling range: Undetermined.

· Flash point: Not applicable.

Flammability (solid, gaseous): Not determined.

Decomposition temperature: Not determined.

• Danger of explosion: Product does not present an explosion hazard.

· Explosion limits:

· Ignition temperature:

Lower: Not determined. Upper: Not determined.

· Vapor pressure: Not applicable.

(Contd. on page 6)

Printing date 06/17/2024 Reviewed on 06/17/2024

Trade name: ROMPOX ADHENSION ELUTRIANT

		(Contd. of pag
· Density:	Not determined.	
· Bulk density:	1,200–1,600 kg/m³	
· Relative density	Not determined.	
· Vapor density	Not applicable.	
Evaporation rate	Not applicable.	
· Solubility in / Miscibility with		
· Water:		
Fully miscible.		
Soluble.		
· Partition coefficient (n-octano	nl/water): Not determined.	
· Viscosity:		
Dynamic:	Not applicable.	
Kinematic:	Not applicable.	
· Solvent content:		
VOC content:	0.00 %	
	0.0 g/l / 0.00 lb/gal	
Solids content:	100.0 %	
· Other information	No further relevant information a	available.

## 10 Stability and reactivity

- · Reactivity No further relevant information available.
- · Chemical stability
- · Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Possibility of hazardous reactions No dangerous reactions known.
- · Conditions to avoid No further relevant information available.
- · Incompatible materials: No further relevant information available.
- · Hazardous decomposition products: No dangerous decomposition products known.

### 11 Toxicological information

· Information on toxicological effects

· Acute toxicity:		
· LD/LC50 values that are relevant for classification:		
ATE (Acute Toxicity Estimate)		
Oral LD50 40,000–200,000 mg/kg (rat)		
Dermal LD50 4,000–8,000 mg/kg (rabbit)		
65997-15-1 Cement, portland, chemicals		
Dermal LD50 2,000 mg/kg (rabbit)		
68475-76-3 filler		
Oral LD50 2,000 mg/kg (rat)		
· Primary irritant offoct:		

- Primary irritant effect:
- on the skin: Irritant to skin and mucous membranes.
- · on the eye: Strong irritant with the danger of severe eye injury.
- · Sensitization: Sensitization possible through skin contact.
- Additional toxicological information:

The product shows the following dangers according to internally approved calculation methods for preparations:

(Contd. on page 7)

(Contd. of page 6)

# Safety Data Sheet acc. to OSHA HCS

Printing date 06/17/2024 Reviewed on 06/17/2024

Trade name: ROMPOX ADHENSION ELUTRIANT

Irritant

· Carcinogenic categories

· IARC (International Agency for Research on Cancer)

None of the ingredients is listed.

· NTP (National Toxicology Program)

None of the ingredients is listed.

· OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

### 12 Ecological information

- · Toxicity
- · Aquatic toxicity: No further relevant information available.
- · Persistence and degradability No further relevant information available.
- · Behavior in environmental systems:
- · Bioaccumulative potential No further relevant information available.
- · Mobility in soil No further relevant information available.
- · Additional ecological information:
- · General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water

Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

- · Results of PBT and vPvB assessment
- · PBT: Not applicable.
- vPvB: Not applicable.
- Other adverse effects No further relevant information available.

### 13 Disposal considerations

- · Waste treatment methods
- · Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

- · Uncleaned packagings:
- Recommendation: Disposal must be made according to official regulations.
- Recommended cleansing agent: Water, if necessary with cleansing agents.

#### 14 Transport information - 24HR Hotline US: Chemtrec 8004249300 CA: Canutec: 8882268832

· UN-Number · DOT, IMDG, IATA	not regulated
· UN proper shipping name · DOT, IMDG, IATA	not regulated
· Transport hazard class(es)	
· DOT, ADN, IMDG, IATA · Class	not regulated
· Packing group · DOT, IMDG, IATA	not regulated

(Contd. on page 8)

Printing date 06/17/2024 Reviewed on 06/17/2024

Trade name: ROMPOX ADHENSION ELUTRIANT

(Contd. of page 7)

		`	
· Environmental hazards:	Not applicable.		
· Special precautions for user	Not applicable.		
· Transport in bulk according to Annex MARPOL73/78 and the IBC Code	II of Not applicable.		
· UN "Model Regulation":	not regulated		

## 15 Regula



### formation

· Safety, health and environmental regulations/legislation specific for the substance or mixture

No further relevant information available.

Sara

· Section 355 (extremely hazardous substances):

None of the ingredients is listed.

· Section 313 (Specific toxic chemical listings):

None of the ingredients is listed.

· TSCA (Toxic Substances Control Act):

65997-15-1 Cement, portland, chemicals ACTIVE 68475-76-3 filler ACTIVE

· Hazardous Air Pollutants

None of the ingredients is listed.

Proposition 65

· Chemicals known to cause cancer:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

· Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

· Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

· Carcinogenic categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

· TLV (Threshold Limit Value)

None of the ingredients is listed.

· NIOSH-Ca (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

· GHS label elements

The product is classified and labeled according to the Globally Harmonized System (GHS).

· Hazard pictograms





GHS05 GHS07

· Signal word Danger

Printing date 06/17/2024

Trade name: ROMPOX ADHENSION ELUTRIANT

(Contd. of page 8)

Reviewed on 06/17/2024

#### Hazard-determining components of labeling:

Cement, portland, chemicals

filler

#### · Hazard statements

Causes skin irritation.

Causes serious eye damage.

May cause an allergic skin reaction.

May cause respiratory irritation.

#### · Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Use only outdoors or in a well-ventilated area.

Contaminated work clothing must not be allowed out of the workplace.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

Specific treatment (see on this label).

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

Wash contaminated clothing before reuse.

Store in a well-ventilated place. Keep container tightly closed.

Store locked up.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

#### 16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- · Department issuing SDS: Abteilung Umweltschutz
- · Contact: Hr. Blaesner
- · Date of preparation / last revision 06/17/2024 / -
- · Abbreviations and acronyms:

IMDG: International Maritime Code for Dangerous Goods

DOT: US Department of Transportation IATA: International Air Transport Association

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

NFPA: National Fire Protection Association (USA)

HMIS: Hazardous Materials Identification System (USA)

VOC: Volatile Organic Compounds (USA, EU)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative NIOSH: National Institute for Occupational Safety

OSHA: Occupational Safety & Health

TLV: Threshold Limit Value

PEL: Permissible Exposure Limit

REL: Recommended Exposure Limit

Skin Irritation 2: Skin corrosion/irritation - Category 2

Eye Damage 1: Serious eye damage/eye irritation - Category 1

Sensitization - Skin 1: Skin sensitisation - Category 1

Specific Target Organ Toxicity - Single Exposure 3: Specific target organ toxicity (single exposure) - Category 3

\* Data compared to the previous version altered.